CT60 CT60 XP ULTRA-RUGGED MOBILE COMPUTER

Configuration Guide



CT60



CT60 NI NON-INCENDIVE ATEX / IEC EX



CT60 XP



THE FUTURE IS

WHAT WE MAKE IT



TABLE OF CONTENTS

CT60 FEATURE OVERVIEW 2

N6603 STANDARD RANGE N6703 STANDARD RANGE N6703 HIGH DEFINITION (HD) NON-INCENDIVE / ATEX / IECEX - N6603 STANDARD RANGE

6 CT60 XP FEATURE OVERVIEW

N6703 STANDARD RANGE N6803 FLEXRANGE[™] NEAR/ FAR RANGE N6703 HIGH DEFINITION (HD) DISINFECTANT READY HOUSING - N6703 STANDARD RANGE DISINFECTANT READY HOUSING - N6803 FLEXRANGE[™] NEAR/ FAR RANGE

CT60 / CT60 XP CONFIGURATION MAP 9 ANDROID

10 HONEYWELL EDGE SERVICES

GOLD REPAIR SERVICES - 3 YEAR PLATINUM REPAIR SERVICES - 3 YEAR **GOLD REPAIR SERVICES - 5 YEAR** PLATINUM REPAIR SERVICES - 5 YEAR CT60 / CT60 XP - REPAIR SERVICES COVERAGE

13 CT60 / CT60 XP SOFTWARE

DEVICE CLIENT PACK

- 14 CT60 / CT60 XP SCANNING OPTION 1 - CT60 SCAN HANDLE OPTION 2 – CT60 XP SCAN HANDLE
- 15 CT60 / CT60 XP DESKTOP COMMUNICATIONS **OPTION 1 – PORTABLE OPTION 2 – FIXED**

- 16 CT60 / CT60 XP VEHICLE DOCKS OPTION 1 - CT50 AND CT60 OPTION 2 - CT50, CT60 AND CT60 XP
- 17 CT60 / CT60 XP VEHICLE INSTALL OPTION 1 – PORTABLE/ SUB CONTRACTOR INSTALL
 - OPTION 2 PORTABLE/ SUB CONTRACTOR INSTALL
 - **OPTION 3 FIXED VEHICLE INSTALL WITH DIRECT CONNECTION TO VEHICLE** BATTERY
 - **OPTION 4 FIXED VEHICLE INSTALL WITH DIRECT CONNECTION TO VEHICLE BATTERY/ FUSE BLOCK**
 - OPTION 5 FIXED VEHICLE INSTALL WITH THOR DC/DC CONVERTER

21 CT60 CHARGING AND COMMUNICATION

OPTION 1 - CT50/CT60/CT60 XP QUAD CHARGER **OPTION 2 - QUAD BATTERY CHARGER** SPARE BATTERY OPTIONS OPTION 3 - DX2 FLEXDOCK 2-BAY **OPTION 4 - DX4 FLEXDOCK 4-BAY**

- 24 IH21 RFID READER FOR CT60
- 25 CT60 DEX ADAPTER
- 26 MISCELLANEOUS OPTIONAL PARTS MICRO-SD CARDS AC CORDS

Honeywell

N6603 Standard Range

Included in the box:

- CT60 Mobile Computer
- Battery (318-055-012)
- Hand strap
- Tethered Stylus

N6603 Standard Range









	CT60 Android - 4G WWAN - 4GB RAM/ 32GB Flash		CT60 Android– WiFi Only – 4GB
CT60-L1N-BSC210x	CT60, Android GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6603), 4GB/32GB Memory, 13MP Camera, BT 5.0, NFC, Battery Included	CT60-L0N-BSC210x	CT60, Android GMS, WLAN, 802.11 a/b Memory, 13MP Camera, BT 5.0, NFC, Ba
	CT60 Android - 4G WWAN – 3GB RAM/ 32GB Flash		CT60 Android– WiFi Only – 3GB

(Note: x = Domain, select appropriate Domain from Configuration Map on page 9)

Honeywell Repair Services		
SVCCT60-SG3N	CT60 / CT60 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract	
ADD SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year	

Honeywell

GLOBAL













BRAM/ 32GB Flash

/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6603), 4GB/32GB , Battery Included

B RAM/ 32GB Flash

a/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6603), 3GB/32GB ;, Battery Included

N6703 Standard Range

Included in the box:

- CT60 Mobile Computer
- Battery (318-055-012)
- Hand strap
- Tethered Stylus

N6703 Standard Range









	CT60 Android - 4G WWAN - 4GB RAM/ 32GB Flash		CT60 Android– WiFi Only – 4GB R
CT60-L1N-BRC210x	CT60, Android GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6703), 4GB/32GB Memory, 13MP Camera, BT 5.0,NFC, Battery Included, warm swap	CT60-LON-BRC210x	CT60, Android GMS, WLAN, 802.11 a/b/g Memory, 13MP Camera, BT 5.0, NFC, Bat
	CT60 Android - 4G WWAN - 3GB RAM/ 32GB Flash		CT60 Android– WiFi Only – 3GB R
CT60-L1N-ARC210x	CT60, Android GMS , WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6703), 3GB/32GB Memory, 13MP Camera, BT 5.0, NFC, Battery Included, warm swap	CT60-LON-ARC210x	CT60, Android GMS, WLAN, 802.11 a/b/g Memory, 13MP Camera, BT 5.0, NFC, Bat

(Note: x = Domain, select appropriate Domain from Configuration Map on page 9)

Honeywell Repair Services		
	SVCCT60-SG3N	CT60 / CT60 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract
ADD	SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year

Honeywell



GLOBAL











Scanner



B RAM/ 32GB Flash

/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6703), 4GB/32GB Battery Included, warm swap

B RAM/ 32GB Flash

/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6703), 3GB/32GB Battery Included, warm swap

N6703 High Definition (HD)

Ħ Warm Battery Swap

Included in the box:

- CT60 Mobile Computer .
- Battery (318-055-012) .
- Hand strap ٠
- Tethered Stylus •

N6703 High Definition











CT60 Android - 4G WWAN - 4GB RAM/ 32GB Flash

CT60-L1N-BDC210x	CT60, Android GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager (N6703 HD), 4GB/32GB
	Memory, 13MP Camera, BT 5.0,NFC, Battery Included, warm swap

CT60-LON-BDC210x

CT60 Android- WiFi Only - 4GB RAM/ 32GB Flash

CT60, Android GMS, WLAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager (N6703 HD), 4GB/32GB Memory, 13MP Camera, BT 5.0, NFC, Battery Included, warm swap

(Note: x = Domain, select appropriate Domain from Configuration Map on page 9)

Honeywell Repair Services		
SVCCT60-SG3N CT60 / CT60 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract		
ADD SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year	

Honeywell

GLOBAL













Display

WiFi/BT

Scanner

Non-Incendive / ATEX / IECex - N6603 Standard Range





CT60 Android - 4G WWAN - 4GB RAM/ 32GB Flash

CT60-L1N-BSC211x	CT60, Android GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6603), Non-	CT60-LON-BSC211x	(
	Incendive / ATEX/ IECex Certified, 4GB/32GB Memory, 13MP Camera, BT 5.0, NFC, Battery Included		11
	Included		

CT60,	Android	GMS,	WLAN,	802.11
Incend	dive / ATE	EX/ IE(Cex Cert	ified, 4
Includ	ed			

(Note: x = Domain, select appropriate Domain from Configuration Map on page 9)

Honeywell Repair Services		
SVCCT60-SG3N CT60 / CT60 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract		
ADD SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year	

Honeywell

GLOBAL











Display



CT60 Android- WiFi Only - 4GB RAM/ 32GB Flash

a/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6603), Non-GB/32GB Memory, 13MP Camera, BT 5.0, NFC, Battery


N6703 Standard Range N6803 FlexRange[™] Near/ Far Range

Included in the box:

- CT60 XP Mobile Computer .
- Battery (318-055-018) ٠
- Hand strap .
- Tethered Stylus .



N6703 Standard Range









	CT60 Android - 4G WWAN - 4GB RAM/ 32GB Flash		CT60 Android - 4G WWAN - 4GB
CT60-L1N-BRP210x	CT60 XP, Android GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6703), 4GB/32GB Memory, 13MP Camera, BT 5.0,NFC, Battery Included, warm swap	CT60-L1N-BFP210x	CT60 XP, Android GMS, WWAN, 802 Memory, 13MP Camera, BT 5.0, NFC, B
	CT60 Android– WiFi Only – 4GB RAM/ 32GB Flash		CT60 Android– WiFi Only – 4GB

(Note: x = Domain, select appropriate Domain from Configuration Map on page 9)

Honeywell Repair Services		
SVCCT60-SG3N	CT60 / CT60 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract	
ADD SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year	

Honeywell



GLOBAL













Swap

Display







N6803 FlexRange™





GB RAM/ 32GB Flash

02.11 a/b/g/n/ac/r/k/mc, N6803 FlexRange, 4GB/32GB Battery Included, warm swap

BRAM/ 32GB Flash

02.11 a/b/g/n/ac/r/k/mc, N6803 FlexRange, 4GB/32GB , Battery Included, warm swap

N6703 High Definition (HD)



Included in the box:

- CT60 XP Mobile Computer .
- Battery (318-055-018) .
- Hand strap •
- Tethered Stylus



N6703 High Definition









CT60 Android - 4G WWAN - 4GB RAM/ 32GB Flash

CT60-L1N-BDP210x	CT60 XP, Android GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager (N6703 HD),
	4GB/32GB Memory, 13MP Camera, BT 5.0,NFC, Battery Included, warm swap

CT60-LON-BDP210x

CT60 Android- WiFi Only - 4GB RAM/ 32GB Flash

CT60 XP, Android GMS , WLAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager (N6703 HD), 4GB/32GB Memory, 13MP Camera, BT 5.0, NFC, Battery Included, warm swap

(Note: x = Domain, select appropriate Domain from Configuration Map on page 9)

Honeywell Repair Services					
SVCCT60-SG3N	CT60 / CT60 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract				
ADD SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year				

Honeywell

















Disinfectant Ready Housing - N6703 Standard Range Disinfectant Ready Housing – N6803 FlexRange[™] Near/ Far Range

Included in the box:

- CT60 XP Mobile Computer .
- Battery (318-055-019) .
- Hand strap •
- Tethered Stylus



N6703 Standard Range









	CT60 Android - 4G WWAN - 4GB RAM/ 32GB Flash		CT60 Android - 4G WWAN - 4GB
CT60-L1N-BRP21Dx	CT60 XP Disinfectant Ready, Android GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager SR (N6703), 4GB/32GB Memory, 13MP Camera, BT 5.0,NFC, Battery Included, warm swap	CT60-L1N-BFP21Dx	CT60 XP Disinfectant Ready, Andro FlexRange, 4GB/32GB Memory, 13MP
	CTCO Andreid WiF: Order (CD DAM/ 22CD Flack		
	CT60 Android– WiFi Only – 4GB RAM/ 32GB Flash		CT60 Android– WiFi Only – 4GB

(Note: x = Domain, select appropriate Domain from Configuration Map on page 9)

Honeywell Repair Services				
SVCCT60-SG3N	CT60 / CT60 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract			
ADD SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year			

Honeywell



GLOBAL













GB RAM/ 32GB Flash


droid GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, N6803 P Camera, BT 5.0, NFC, Battery Included, warm swap

BRAM/ 32GB Flash

ndroid GMS, WLAN, 802.11 a/b/g/n/ac/r/k/mc, N6803 MP Camera, BT 5.0, NFC, Battery Included, warm swap

CT60 / CT60 XP CONFIGURATION MAP

Android



Honeywell

5.0 Bluetooth and BLE Supported
- BANDS 1,2,3,4,5,7
S/EDGE QUAD-BAND (850/900/1800/1900 MHZ)
SEDGE (0AD DAND (850/300/1000/1300 MHZ)
re
e plastics designed to withstand the harshness mpromising the lifespan of the equipment.
Ilgaria, Columbia, Croatia, Cyprus, Czech Republic, Finland, France, Germany, Greece, Honduras, Hong an, Jordan, Kuwait, Latvia, Liechtenstein, Lithuania, herlands, New Zealand, Norway, Oman, Poland, Singapore, Slovakia, Slovenia, South Africa, South Thailand, UAE, Ukraine, United Kingdom, Vietnam
o Rico, Taiwan

HONEYWELL EDGE SERVICES

CT60 / CT60 XP - Repair Services

Honeywell Edge Services give you the confidence of having leading-class technologies combined with service and support plans that are designed to keep you operational for longer.

Gold Repair Services - 3 Year

The most flexible contract in the industry. The Edge Services Gold Support contract allows you to select the right coverage for your organization, and includes 5-Day Depot Repairs and:

Service Overview

- Repair or replacement of damaged components, wear and tear, and accidental damage.
- Flexibility to add any Add-On Service

PART NUMBER	DESCRIPTION
SVCCT60-SG3N	CT60 / CT60 XP, Edge Service, GOLD Maintenance Contract, 5 Day Turnaround, 3 Year, New Contract

Add-On Accessory Replacement Service

Provides replacement chargers, docks, charging cables, or scan handles should they be damaged or stop working.

ADD SVCACC-MOB3 AddOn, Edge Service, Accessory Service, Mobility, 3 Year. Service covers docks, charger cradles, scan handles

Add-On Battery Replacement Service

Provides replacement batteries every 18 months after purchase.

ADD SVCBATTERY-MOB3 AddOn, Edge Service, Battery Service, Mobility, 3 Year, 1 Replacement Battery over life of contract

Add-On Device Replacement Service

Replacement devices should a device be damaged beyond repair.

ADD SVCREPLACE-MOB3 AddOn, Edge Service, Device Replacement, Mobility, 3 Year

Add-On Image Management Service

Ensures that when a device returns from being repaired, it has all the proper applications loaded back on the device.

ADD SVCIMAGEMGMT-MOB3 AddOn, Edge Service, Image Service, Mobility, **3 Year**

Add-On Spare Management Service

Manages every aspect of your spare pool.

ADD SVCSPAREMGMT-MOB3

AddOn, Edge Service, Advanced Exchange, Mobility, **3 Year**. Customer owned spare pool, Minimum Purchase required, contact your local Honeywell Service Representative for more information.

Add-On Sentinel Extended Service

Security patches and minor enhancements to legacy Android operating systems, typically added after year 3.

ADD SVCSENTINEL-MOB1 Sentinel Service, **1 Year** Android Support Contract **ADD** SVCSENTINEL-MOB2 Sentinel Service, 2 Year Android Support Contract

Platinum Repair Services - 3 Year

The Edge Services Platinum Support contract is the only total support contract in the industry today offering 2-Day Depot Repairs or Spare Pool Management with 3-year contract, that includes:

Service Overview

- Repair or replacement of damaged components
- SVCREPLACE-MOB3 Replacement devices should a device be damaged beyond repair
- SVCACC-MOB3 - Accessory replacement service
- . SVCBATTERY-MOB3 - Battery replacement service
- PPSW-OPINTEL-PMP36 Operational Intelligence Performance Professional licenses
- SVCSPAREMGMT-MOB3 Spare pool management (optional, minimum quantity required)
- Telephone-based technical support
- Sentinel Extended Service that protects customers for future security updates on Android.

PART NUMBER	DESCRIPTION
PARTNOWIDER	DESCRIPTION
SVCCT60-SP3N	CT60 / CT60 XP, Edge Service, PLATINUM, 2 Day Turna
OPERATIONAL INTI	ELLIGENCE SETUP MUST BE ORDERED WITH PLATI
PPPS-OIPLI-SETUP	OpIntel Free Platinum Installation Basic & Professional



Honeywell

GLOBAL

Day Turnaround, 3 Year, New Contract

TH PLATINUM EDGE SERVICE CONTRACT

HONEYWELL EDGE SERVICES

CT60 / CT60 XP - Repair Services

Honeywell Edge Services give you the confidence of having leading-class technologies combined with service and support plans that are designed to keep you operational for longer.

Gold Repair Services - 5 Year

The most flexible contract in the industry. The Edge Services Gold Support contract allows you to select the right coverage for your organization, and includes 5-Day Depot Repairs and:

Service Overview

- Repair or replacement of damaged components, wear and tear, and accidental damage.
- Flexibility to add any Add-On Service

PART NUMBER	DESCRIPTION
SVCCT60-SG5N	CT60 / CT60 XP, Edge Service, GOLD Maintenance Contract, 5 Day Turnaround, 5 Year, New Contract

Add-On Accessory Replacement Service

Provides replacement chargers, docks, charging cables, or scan handles should they be damaged or stop working.

ADD SVCACC-MOB5 AddOn, Edge Service, Accessory Service, Mobility, 5 Year. Service covers docks, charger cradles, scan handles

Add-On Battery Replacement Service

Provides replacement batteries every 18 months after purchase.

ADD SVCBATTERY-MOB5 AddOn, Edge Service, Battery Service, Mobility, 5 Year, 2 Replacement Battery over life of contract

Add-On Device Replacement Service

Replacement devices should a device be damaged beyond repair.

ADD SVCREPLACE-MOB5 AddOn, Edge Service, Device Replacement, Mobility, 5 Year

Add-On Image Management Service

Ensures that when a device returns from being repaired, it has all the proper applications loaded back on the device.

ADD SVCIMAGEMGMT-MOB5 AddOn, Edge Service, Image Service, Mobility, 5 Year

Add-On Spare Management Service

Manages every aspect of your spare pool.

ADD SVCSPAREMGMT-MOB5

AddOn, Edge Service, Advanced Exchange, Mobility, 5 Year. Customer owned spare pool, Minimum Purchase required, contact your local Honeywell Service Representative for more information.

Add-On Sentinel Extended Service

Security patches and minor enhancements to legacy Android operating systems, typically added after year 3.

ADD SVCSENTINEL-MOB1 Sentinel Service, **1 Year** Android Support Contract **ADD** SVCSENTINEL-MOB2 Sentinel Service, 2 Year Android Support Contract

Platinum Repair Services - 5 Year

The Edge Services Platinum Support contract is the only total support contract in the industry today offering 2-Day Depot Repairs or Spare Pool Management with 5-year contract, that includes:

Service Overview

•

- Repair or replacement of damaged components
- SVCREPLACE-MOB5 Replacement devices should a device be damaged beyond repair
- SVCACC-MOB5 - Accessory replacement service
- . SVCBATTERY-MOB5 - Battery replacement service
- PPSW-OPINTEL-PMP60 Operational Intelligence Performance Professional licenses
- SVCSPAREMGMT-MOB5 Spare pool management (optional, minimum quantity required)
- Telephone-based technical support
- Sentinel Extended Service that protects customers for future security updates on Android. The 5 year Sentinel coverage provides extended Android updates in years 4 and 5.

PART NUMBER	DESCRIPTION
SVCCT60-SP5N	CT60 / CT60 XP, Edge Service, PLATINUM, 2 Day Turna
OPERATIONAL INTI	ELLIGENCE SETUP MUST BE ORDERED WITH PLATI
PPPS-OIPLI-SETUP	OpIntel Free Platinum Installation Basic & Professional



Honeywell

GLOBAL

Day Turnaround, 5 Year, New Contract

TH PLATINUM EDGE SERVICE CONTRACT

HONEYWELL REPAIR SERVICES

CT60 / CT60 XP - Repair Services Coverage

For Best-In-Class Service



	PART NUMBER	DESCRIPTION
	SVCCT60-EXW2	CT60 / CT60 XP, BASIC, 10-15 Day Turnaround, 2 Years (1 Year Factory Warranty + 1 Year Extended)
	SVCCT60-SG3N	CT60 / CT60 XP, Edge Service, GOLD Maintenance Contract, 5 Day Turnaround, 3 Year, New Contract
ADD	SVCACC-MOB3	AddOn, Edge Service, Accessory Service, Mobility, 3 Year. Service covers docks, charger cradles, scan handles and car adapter
ADD	SVCBATTERY-MOB3	AddOn, Edge Service, Battery Service, Mobility, 3 Year, 1 Replacement Battery over life of contract
ADD	SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year
ADD	SVCIMAGEMGMT-MOB3	AddOn, Edge Service, Image Service, Mobility, 3 Year
ADD	SVCSPAREMGMT-MOB3	AddOn, Edge Service, Advanced Exchange, Mobility, 3 Year. Customer owned spare pool, Minimum Purchase required.
	SVCCT60-SP3N	CT60 / CT60 XP, Edge Service, PLATINUM, 2 Day Turnaround, 3 Year, New Contract

Honeywell


GLOBAL

ter

CT60 / CT60 XP SOFTWARE

Device Client Pack

Device Client Pack (DCP) includes first year maintenance. Add additional years of software maintenance for the applications below.



Honeywell

CT60 / CT60 XP SCANNING

Option 1 – CT60 Scan Handle

Use for Scan intensive applications.

Easy on and Easy off to allow for recharging in CT60 desktop docks. CT50, CT60 Compatible Devices: (Not Compatible with CT60 XP)

Not Compatible with Single Dock, Quad Charger or Vehicle Dock.

Option 2 – CT60 XP Scan Handle

Use for Scan intensive applications. Compatible Devices: **CT60 XP**

(Not Compatible with CT50 / CT60)

Compatible with Single Dock, Quad Charger. Not Compatible with Vehicle Dock. Supports CT60 XP stylus stored inside scan handle.







	PART NUMBER	DESCRIPTION		PART NUMBER	DESCRIPTION
1	CT50-SCH	User installable scan handle for scan intensive applications.	1	CT60-XP-SCH-DR	CT60XP Scan Handle Disinfecta

Honeywell

GLOBAL





ctant Ready (Stylus not included)

CT60 / CT60 XP DESKTOP COMMUNICATIONS


Option 1 – Portable

Honeywell

USB Communication to PC/ Mac OR Snap-On Charging

Option 2 – Fixed

USB and optional Ethernet Communication & Single Battery Charger.



2

3

321-576-004

**

GLOBAL

eHomeBase - Ethernet Kit includes Dock & Power Supply, must order Power Cord separately Cable Assembly - USB Type A to Type B

AC Power Cord – See Page 28 for Country Specific Power Cords

CT60 / CT60 XP VEHICLE DOCKS

Option 1 – CT50 and CT60

Not Compatible with CT60 XP.

Option 2 – CT50, CT60 and CT60 XP

Vehicle Dock includes adapter inserts for CT50 / CT60 and CT60 XP.



PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
CT50-MB-0	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable Supports CT50 and CT60 (NOT Compatible with CT60 XP)	CT50-MB-0-XP	Vehicle Dock w/ hard wired 3-pin power cable and a st Supports CT50, CT60 and CT60 XP.
CT50-MB-1	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable, includes cigarette lighter power adapter Supports CT50 and CT60 (NOT Compatible with CT60 XP)	CT50-MB-1-XP	Vehicle Dock w/ hard wired 3-pin power cable and a st Supports CT50, CT60 and CT60 XP.

Honeywell

GLOBAL

a standard USB Type A cable

a standard USB Type A cable, includes cigarette lighter power adapter

Option 1 – Portable/ Sub Contractor Install

Simple Vehicle Charging, portable between vehicles. Compatible with CT50, CT60 and CT60 XP.

Option 2 – Portable/ Sub Contractor Install

Windscreen Suction Cup Mount, portable between vehicles.



2

RAM-B-166-202U

Suction Cup Mount Kit

	PART NUMBER	DESCRIPTION		PART NUMBER	DESCRIPTION
1	CT50-MC	Snap-on cup with Cigarette Lighter plug.	1	CT50-MB-1	Vehicle Dock w/ hard wired 3-pin Supports CT50 and CT60 (NOT C
			OR	CT50-MB-1-XP	Vehicle Dock w/ hard wired 3-pin Supports CT50, CT60 and CT60 X

Honeywell

GLOBAL

in power cable and a standard USB Type A cable T Compatible with CT60 XP) in power cable and a standard USB Type A cable 0 XP.

Option 3 - Fixed Vehicle Install with Direct Connection to Vehicle Battery

Best used when the vehicle input voltage varies, 10- 30V.



Honeywell

OR

2

OR

3

OPTIONAL 203-803-001

CT50-MB-0-XP

226-109-003

226-109-004

805-611-001

Option 4 – Fixed Vehicle Install with Direct Connection to Vehicle Battery/ Fuse Block

Best used when the vehicle input voltage varies, 10- 30V.



Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cableSupports CT50, CT60 and CT60 XP.

72" (182.88 cm) Fuse block Power Cable with spade lugs and 3-pin connector

22" (55.8 cm) Fuse block Power Cable with spade lugs and 3-pin connector

Mounting Kit, V-Dock RoHS

loneywell

GLOBAL

Vehicle Dock Fuse Block Power Kit RoHS (Provides connection to vehicle fuse block). Requires Power Cable (226-109-003 or 226-109-004).

Option 5 - Fixed Vehicle Install with Thor DC/DC Converter

226-109-003

805-611-001

3

Honeywell

Best used when the vehicle input voltage varies, 9-60V or 50-150V.



72" (182.88 cm) Fuse block Power Cable with spade lugs and 3-pin connector

Mounting Kit, V-Dock RoHS


CT60 CHARGING AND COMMUNICATION

Option 1 - CT50/CT60/CT60 XP Quad Charger

Chargebase – Quad Dock Charge Only Netbase – Quad Dock with Ethernet

Option 2 - Quad Battery Charger

Charge up to 4 batteries simultaneously Supports Batteries: 318-055-005 - Battery, Standard, CT50 / CT60 (4090mAh) 318-055-012 - Battery, Standard, CT50 / CT60 (4020mAh) 318-055-013 - Battery, Standard, CT60 NI / ATEX / IECex (4020mAh) 318-055-018 - Battery, Standard, CT60 XP (4020mAh)



	PART NUMBER	DESCRIPTION		PART NUMBER	DESCRIPTION
1	CT50-CB-0	Chargebase - Kit includes Dock and Power Supply	1	CT50-QBC-0	Quad Battery Charger - Kit inc
OR	CT50-NB-0	Netbase - For Ethernet comms and recharging upto 4 computers	2	**	See Page 19 for Battery selecti
2	**	AC Power Cord – See Page 28 for Country Specific Power Cords	3	**	AC Power Cord – See Page 28 for

Honeywell

GLOBAL



ncludes Dock and Power Supply

ection

for Country Specific Power Cords

CT60 BATTERY

Spare Battery Options



CT60 CT60-LxN-xxxx0x CT60 NI / ATEX / IEC Ex CT60-LxN-xxxx1x CT60 XP CT60-LxN-xxPxxxx

	PART NUMBER	DESCRIPTION
1	318-055-012	BATTERY, STD, 4020mAh, CT50/60, MAXELL
2	318-055-013	BATTERY, STD, 4020mAh, MAXELL,CT60 NI / ATEX / IEC Ex
3	318-055-018	BATTERY, STD, 4020mAh, CT60 XP, MAXELL
4	318-055-020	BATTERY, STD, 4020mAh, CT60 XP Disinfectant Ready, MAXELL

Honeywell

GLOBAL




CT60 XP Disinfectant Ready CT60-LxN-xxPxxDx

CT60 CHARGING AND COMMUNICATION

Option 3 – DX2 FlexDock 2–Bay

Charge Only – Dual Dock Charge Only Ethernet – Dual Dock with Ethernet

Option 4 – DX4 FlexDock 4–Bay





	PART NUMBER	DESCRIPTION
1	852-918-002	FlexDock Base Dual Charge Only
OR	852-919-002	FlexDock Base Dual Ethernet
2	50135809-001-K	FLEXDOCK CUP CT50/CT60 (Order 2 per DX2 FlexDock)
3	851-095-131	Universal Supply, 12V 48W Right Angle 2.5x5.5 Level IV
4	**	AC Power Cord – See Page 28 for Country Specific Power Cords

	PART NUMBER	DESCRIPTION
1	852-916-002	FlexDock Base Quad Charge C
OR	852-917-002	FlexDock Base Quad Ethernet
2	50135809-001-K	FLEXDOCK CUP CT50/CT60 (Or
3	851-064-427	Universal Power Supply,12V 8A 4S
4	**	AC Power Cord – See Page 28 for

Honeywell

GLOBAL



Only

Order 4 per DX4 FlexDock)

ISkt Level VI RoHS

Country Specific Power Cords

CT60 RFID IH21 RFID Reader for CT60

Connect the IH21 to the CT60 via Bluetooth. Not Compatible with CT60 XP.



		PART NUMBER	REGION	DESCRIPTION
	1	IH21A0020	AUS	IH21 Bluetooth RFID Reader with e-Pop-Loq, UHF Antenna, Trigger Handle, Battery, Battery Cover, no imager, red and bl
	OR	IH21A0014	FCC	IH21 Bluetooth RFID Reader with e-Pop-Loq, UHF Antenna, Trigger Handle, Battery, Battery Cover, no imager, red and bl
	OR	IH21A0002	ETSI	IH21 Bluetooth RFID R¢eader with e-Pop-Loq, UHF Antenna, Trigger Handle, Battery, Battery Cover, no imager, red and b
	2	IH21-EPL-CT50		Cover,ePop-Loq CT50/CT60, IH21 (Not Compatible with CT60 XP)
	3	IH21-CB-1		IH21 Docking Cradle with World traveler PSU and Mini USB Lead, red and black
	OPTIONAL	IH21-QBC-1		4-Slot Battery Charger. Order power supply 851-812-001 & Power Cord separately
	OPTIONAL	851-812-001		AC ADAPTER,12V/60W,2.5X5.5MM,LEVEL VI. Order AC Power Cord – See Page 28 for Country Specific Power (
	OPTIONAL	318-060-001		Spare Battery for IH21 RFID reader

Honeywell

GLOBAL

I black. AU I black.FCC

d black.ETSI

er Cords

CT60 DEX ADAPTER

DEX adapter for DSD route management

Connect the DEX-BLE-10 to the CT60/ CT60 XP via Bluetooth.



DEX Connector View

		PART NUMBER	DESCRIPTION
	1	DEX-BLE-10	DEX Bluetoth Adapter with charger, cable, (USB-WALL-CHARGER-U) and battery (DEX-10-BATTERY)
	OPTIONAL	DEX-10-BATTERY	Replacement Battery for DEX-BLE-10 ,3.7V LI-ION 750mAh
	OPTIONAL	USB-WALL-CHARGER-U	USB wall charger, US plug, Micro USB, USB A, 5V 2A, DEX-BLE-10
	OPTIONAL	454-036-001	License, DEX Store Front (License, DEX Store Front) (Desktop license. DEX Store Front emulates a retailer´s host system for te transactions between a PC running DEX Store Front and a mobile computer)
	OPTIONAL	454-038-001	License, DEX Mobile (License, DEX Mobile) (Runtime client license. Enables runtime operation of the MobileDEX application of using the DEX Toolkit. Order 1 License per mobile computer.)

Honeywell


GLOBAL



r testing of DEX/UCS

on or applications developed

Optional Parts



Honeywell

Optional Parts





PART NUMBER DESCRIPTION

CHARGING CABINET FOR CT60 and CT50 with space to house 12 Computers and 12 Spare Batteries. Quad battery chargers (CT50-QBC-0) and Quad ChargeBase (CT50-CB-0) or NetBase (CT50-NB-0) must be ordered separately. CT50-CC-12





PART NUMBER

825-239-001









PART NUMBER

825-238-001

825-237-001 POUCH, CT50/CT60/CT60 XP

DESCRIPTION

Honeywell

PART NUMBER

GLOBAL

DESCRIPTION

HOLSTER, SCAN HANDLE, CT50, CT60 and CT60 XP




DESCRIPTION

CT50/CT60/CT60 XP Holster

Micro-SD Cards

Honeywell Recommended – ATP Industrial Grade Micro SD Cards



AC Cords

Regional Power Cords



AC Power - C13 Type Connector

Why ATP Industrial Grade SD?

ATP's SIP (System-In-Packaging) manufacturing process encapsulates all exposed components and points of failure to ensure the products are fully waterproof, shockproof, and ESD (Electro-Static Discharge) proof. ATP Industrial Grade SD/SDHC Cards can withstand at least an operating/storage temperature range of at least -40 to 85 degrees Celsius. In addition to this temperature range, the cards are completely waterproof, dustproof, and ESD (Electro-Static Discharge) proof. All ATP Industrial Grade SD/SDHC cards are produced under a stringent RoHs and Green Package compliant manufacturing process to guarantee a consistent high level of build quality and performance. ATP Industrial SD cards deliver outstanding performance with read speed (seq) up to 18MB/sec and write speed (seq) up to 16MB/sec. All ATP Industrial Grade CF, SD, USB drives, and SSDs are constructed using best-in-class SLC(Single-Level Cell) components with enhanced Error Correction Code(ECC) functions and wear levelling algorithms. This results in MTBF ratings over 2 million hours and the highest write cycle lifetimes in the industry.

PART NUMBER	DESCRIPTION
50117501-001	POWER CORD AUSTRALIA 2500MM,SI
321-501-002	AC Power Cord, Denmark RoHS
77900508E	Cable: power cord, power supply to AC of
321-502-002	AC Power Cord, India/S Africa RoHS
321-500-002	AC Power Cord, Japan RoHS
9000093CABLE	AC POWER CABLE, C14 TYPE, SWITZER
77900507E	Cable: power cord, power supply to AC of
1-974028-025	AC Power Cord, US RoHS

	PART NUMBER	DESCRIPTION
1	856-065-004	MICRO-SD CARD, 1GB , AF1GUDI, ROHS
OR	856-065-005	MICRO-SD CARD, 2GB, AF1GUDI, ROHS
OR	856-065-006	MICRO-SD CARD, 4GB , AF1GUDI, ROHS
OR	856-065-007	MICRO-SD CARD, 8GB , AF1GUDI, ROHS

Honeywell

GLOBAL

LED CB

outlet, straight, Power cord, Europe EU, IEC320-C13, 2.5 m (8.2 ft)

ERLAND 3-PIN

outlet, straight - Power cord, UK, IEC320-C13, 2.5 m (8.2 ft)

Disclaimer

Honeywell International Inc. ("HII") reserves the right to make changes in specification and other information contained in this document without prior notice, and the reader should in all cases consult HII to determine whether any such changes have been made. The information in this publication does not represent a commitment on the part of HII.

HII shall not be liable for technical or editorial errors or omissions contained herein; nor for incidental or consequential damages resulting the furnishing, performance, or use of this material.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced, or translated into another language with-out prior written consent of HII.

Web Address: www.honeywellaidc.com

The Bluetooth trademarks are owned by Bluetooth SIG, Inc., U.S.A and licensed to Honeywell.

Thor and Mobility Edge are trademarks or registered trademarks of Honeywell International Inc. in the United States and/or other countries.

Android is a trademark or registered trademark of Google Inc. in the United States and/or other countries. Windows is a trademark or registered trademark of Microsoft Corporation.

Qualcomm and Snapdragon are trademarks or registered trademarks of Qualcomm Incorporated in the United States and/or other countries.

Other product names mentioned in the manual may be trademarks of registered trademarks of their respective companies and are the property of their respective owners.

All rights reserved.

For more information www.honeywellaidc.com

Honeywell Safety and Productivity Solutions

9680 Old Bailes Road Fort Mill, SC 29707 800-582-4263 www.honeywell.com



THE FUTURE IS WHAT WE MAKE IT